




PRECISION IN EVERY DISC.

SCOTCH-BRITE™ PRECISION AND PRECISION HEAVY DUTY SURFACE CONDITIONING DISCS



Revolutionising the industry by combining 3M™ Precision-Shaped Grain (PSG) and Scotch-Brite™ nonwoven web technology, the all new Scotch-Brite™ Precision and Precision Heavy Duty Surface Conditioning Discs deliver next level results and the consistency you've come to expect from the Scotch-Brite™ lineup.



SCOTCH-BRITE™ PRECISION AND PRECISION HEAVY DUTY SURFACE CONDITIONING DISCS

Scotch-Brite™ Precision Surface Conditioning Discs Performance Comparison



On stainless steel, **Scotch-Brite™ Precision Surface Conditioning Discs, CRS** process 40% more material in the same amount of time compared to competitors — all while finishing 1.4x as many parts.* On aluminium, **Scotch-Brite™ Precision Surface Conditioning Discs, MED** remove 3x more material than competitors over the life of the disc, offering productivity gains including 3x as many parts finished and 2x as much material processed in the same amount of time relative to those popular competitive options.**




* Based on 3M internal testing: CRS 3" discs were tested robotically on 304 series stainless steel for 12 minutes, using a 3" – 3M™ Hard Back-Up, part number: 45091. One part is equivalent to 20 g of material removed.
 ** Based on 3M internal testing: MED 3" discs were tested robotically on 6061 aluminium until the end of life (end of life is determined to be 50% of the averaged cut rate of the first three minutes) using a 3" – 3M™ Hard Back-Up, part number: 45091. One part is equivalent to 20 g of material removed.

Scotch-Brite™ Precision Heavy Duty Surface Conditioning Discs performance comparison

Scotch-Brite™ Precision Heavy Duty Surface Conditioning Disc, XXCRS 60+ processes over 3x more parts on mild steel compared to competitors.† **Scotch-Brite™ Precision Heavy Duty Surface Conditioning Disc, XXCRS 60+** lasts over 2x longer on mild steel compared to competitors.††




† Based on 3M internal testing: 7" discs were tested robotically on 1045 mild steel using a 3M face plate 45193 until the end-of-life. The end-of-life is determined to be 30% of the original cut. One finished part is defined as 10 grams of mild steel removed.
 †† Based on 3M internal testing: 7" discs were tested robotically on 1045 mild steel using a 3M face plate 45193 until the end-of-life. The end-of-life is determined to be 30% of the original cut.



Scotch-Brite™ Surface Conditioning Discs



Scotch-Brite™ Precision Surface Conditioning Discs



Scotch-Brite™ Precision Heavy Duty Surface Conditioning Discs

Cleaning, Blending, Refining, RADIUSING, Finishing and Polishing	Light Grinding, Deburring, Blending, Refining, RADIUSING, Cleaning and Finishing	Light Grinding, Deburring, Edge Breaking, Blending and Refining
Aluminium oxide/silicon carbide for SFN	With 3M™ Precision-Shaped Grain	With 3M™ Precision-Shaped Grain
SFN, VFN, MED, CRS	VFN, FIN, MED, CRS, XCRS	MED, CRS, XCRS, XXCRS
Multi-purpose		Heavy duty

SCOTCH-BRITE™ PRECISION SURFACE CONDITIONING DISCS

A multi-purpose disc designed for your needs.

- 1 MULTI-PURPOSE and load-resistant**
 Multi-purpose product with broad grade range and ability to cover a variety of applications
- 2 CONFORMABLE without compromise**
 Delivers an aggressive cut while conformable nonwoven web helps protect against gouging
- 3 FASTER TO THE FINISH**
 3x more parts finished on aluminium than leading competitors*

Applications

These premium multi-purpose discs are designed to streamline surface conditioning processes including cleaning, blending, deburring and finishing. Conformable non-woven material cleans and finishes surfaces without gouging, undercutting or damaging the base material.

- ▶ Cleaning
- ▶ Deburring
- ▶ Radiusing
- ▶ Refining
- ▶ Finishing
- ▶ Edge breaking
- ▶ Blending
- ▶ Light grinding


The right grade – and attachment – for every job.

Finer finish/less aggressive

Coarser finish/more aggressive



3M Hook and loop – no hole disc



3M Hook and loop – centre hole disc




Scotch-Brite™ Roloc™ TR



*Based on Grade MED, 3M internal testing

SCOTCH-BRITE™ PRECISION SURFACE CONDITIONING DISCS




Hook and loop – no hole				
Diameter x centre hole (mm)	3M ID	Grade	Max. RPM	Qty/case
100 × NH	7100274671	● Very Fine	13,000/ 15,000*	100
	7100274670	● Fine		
	7100274669	● Medium		
	7100274705	● Coarse		
	7100274706	● Extra Coarse		
115 × NH	7100274224	● Very Fine	13,300	50
	7100274222	● Fine		
	7100274223	● Medium		
	7100274270	● Extra Coarse		
125 × NH	7100274277	● Very Fine	12,000	50
	7100274274	● Fine		
	7100274271	● Medium		
	7100274272	● Extra Coarse		
150 × NH	7100274704	● Very Fine	10,000	50
	7100274663	● Fine		
	7100274662	● Medium		
	7100274661	● Extra Coarse		
178 × NH	7100275253	● Very Fine	8,600	25
	7100275255	● Fine		
	7100275258	● Medium		
	7100275259	● Coarse		
	7100275256	● Extra Coarse		

Other sizes available as make-to-order

*When used with Scotch-Brite™ Universal Surface Conditioning Back-up Pad, 89869, 89870 and 89871.

SCOTCH-BRITE™ PRECISION SURFACE CONDITIONING DISCS



Hook and look – centre hole				
Diameter x centre hole (mm)	3M ID	Grade	Max. RPM	Qty/case
100 × 16	7100275838	● Very Fine	15,000	100
	7100275837	● Fine		
	7100275899	● Medium		
	7100275261	● Coarse		
	7100275260	● Extra Coarse		
115 × 22.23	7100275845	● Very Fine	13,300	200
	7100275836	● Fine		
	7100275844	● Medium		
	7100274279	● Coarse		
125 × 22.23	7100274225	● Extra Coarse	12,000	50
	7100274228	● Very Fine		
	7100276268	● Fine		
	7100274229	● Medium		
	7100274227	● Coarse		
178 × 22.23	7100274226	● Extra Coarse	8,600	25
	7100274668	● Very Fine		
	7100274667	● Fine		
	7100274666	● Medium		
	7100274667	● Coarse		
7100274668	● Extra Coarse			

Other sizes available as make-to-order



Scotch-Brite™ Roloc™ TR				
Diameter x centre hole (mm)	3M ID	Grade	Max. RPM	Qty/case
25 × NH	7100264156	● Very Fine	30,000	200
	7100264159	● Fine		
	7100264161	● Medium		
	7100271028	● Coarse		
	7100264150	● Extra Coarse		
50 × NH	7100264173	● Very Fine	25,000	200
	7100264174	● Fine		
	7100264089	● Medium		
	7100264090	● Coarse		
76 × NH	7100264091	● Extra Coarse	20,000	100
	7100264194	● Very Fine		
	7100264195	● Fine		
	7100264196	● Medium		
	7100264197	● Coarse		
100 × NH	7100264198	● Extra Coarse	15,000	100
	7100264199	● Very Fine		
	7100264204	● Fine		
	7100264142	● Medium		
	7100264203	● Coarse		
7100270872	● Extra Coarse			

SCOTCH-BRITE™ PRECISION SURFACE CONDITIONING DISCS

Tough enough for heavy duty use.

1

2x LONGER LASTING on mild steel

compared to competitive premium nonwoven abrasives - while offering edge durability and shape retention during edge wear*

2

3x MORE PARTS PROCESSED on mild steel

than competitive premium nonwoven abrasives*

3

FAST AND DURABLE long-lasting on parts with sharp edges

Heavy duty discs for applications that require a more aggressive and durable product

High-pressure applications

An extension of 3M's Precision Surface Conditioning Disc family, this heavy duty option is designed for durability, long product life, and consistent performance. These discs last longer than competitive premium non-woven abrasives while offering edge durability and shape retention during edge wear.

- ▶ Light grinding
- ▶ Blending
- ▶ Deburring
- ▶ Refining
- ▶ Edge breaking

The heavy duty family identified by the black backing and white font

PSG technology built into the product



Tech tip


Ever wondered what grit mineral is in your nonwoven?

Now including the size of PSG to better understand the positioning of our grades of Precision Heavy Duty Surface Conditioning Discs.

Cutting power for heavy duty jobs.

Medium finish/less aggressive

Coarser finish/most aggressive




*Based on Grade XXCRS, 3M internal testing

SCOTCH-BRITE™ PRECISION HEAVY DUTY SURFACE CONDITIONING DISCS



3M Hook and loop – no hole disc



3M Hook and loop – centre hole disc



Scotch-Brite™ Roloc™ TR



Hook and loop – no hole				
Diameter x centre hole (mm)	3M ID	Grade	Max. RPM	Qty/case
100 x NH	7100358156	● Medium	13,000/ 15,000*	100
	7100358858	● Coarse		
	7100358883	● Extra Coarse		
	7100358857	● X-Extra Coarse		
115 x NH	7100358157	● Medium	13,000/ 13,300*	50
	7100358903	● Coarse		
	7100358872	● Extra Coarse		
	7100358902	● X-Extra Coarse		
125 x NH	7100358923	● Medium	10,000/ 12,000*	50
	7100358904	● Coarse		
	7100358924	● Extra Coarse		
	7100358905	● X-Extra Coarse		
150 x NH	7100358925	● Medium	10,000	50
	7100358906	● Coarse		
	7100358926	● Extra Coarse		
	7100358871	● X-Extra Coarse		
178 x NH	7100358859	● Medium	8,600	25
	7100358898	● Coarse		
	7100358890	● Extra Coarse		
	7100358854	● X-Extra Coarse		

Other sizes available as make-to-order

*When used with Scotch-Brite™ Universal Surface Conditioning Back-up Pad, 89869, 89870 and 89871.

SCOTCH-BRITE™ PRECISION HEAVY DUTY SURFACE CONDITIONING DISCS




Hook and loop – centre hole				
Diameter x centre hole (mm)	3M ID	Grade	Max. RPM	Qty/case
100 x 16	7100358860	● Medium	15,000	100
	7100358855	● Coarse		
	7100358861	● Extra Coarse		
	7100358887	● X-Extra Coarse		
115 x 22.23	7100358896	● Medium	13,300	50
	7100358856	● Coarse		
	7100359465	● Extra Coarse		
	7100359467	● X-Extra Coarse		
125 x 22.23	7100359473	● Medium	12,000	50
	7100359468	● Coarse		
	7100359474	● Extra Coarse		
	7100359469	● X-Extra Coarse		
178 x 22.23	7100358893	● Medium	8,600	25
	7100358886	● Coarse		
	7100358899	● Extra Coarse		
	7100359475	● X-Extra Coarse		

Other sizes available as make-to-order

TECH TIP


Start with 12mm retainer nut (05621) for centre hole attachments. Shorter or larger options available based on the tools shaft height.

SCOTCH-BRITE™ PRECISION HEAVY DUTY SURFACE CONDITIONING DISCS





Scotch-Brite™ Roloc™ TR				
Diameter x centre hole (mm)	3M ID	Grade	Max. RPM	Qty/case
25 x NH	7100359476	● Medium	30,000	200
	7100359463	● Coarse		
	7100359464	● Extra Coarse		
	7100359478	● X-Extra Coarse		
50 x NH	7100359487	● Medium	25,000	100
	7100359489	● Coarse		
	7100359479	● Extra Coarse		
	7100359490	● X-Extra Coarse		
50 x NH	7100359470	● Medium	25,000	200
	7100359486	● Coarse		
	7100359477	● Extra Coarse		
	7100359904	● X-Extra Coarse		
76 x NH	7100359480	● Medium	20,000	100
	7100359491	● Coarse		
	7100359481	● Extra Coarse		
	7100359753	● X-Extra Coarse		

SCOTCH-BRITE™ PRECISION AND PRECISION HEAVY DUTY SURFACE CONDITIONING DISCS



Accessories and tools for Scotch-Brite™ Precision and Precision Heavy Duty Surface Conditioning Discs

Product	Product number	3M ID	Diameter (mm)	Attachment	Density rating	Max. RPM	MOQ	For use with
Scotch-Brite™ Universal Surface Conditioning Back-Up Pad	89869	7100276338	100	5/8-11, M14, M10 (multi-attachment)	Hard	15,000	10	 Hook and loop discs
	89870	7100276340	115			13,300		
	89871	7100276339	125			12,000		
3M™ Hookit™ Disc Pad	01917	7000068111	178	M14	Medium	6,000	1	
3M™ Center Hole Back-Up Pad	61682	7000086464	178			12,000		
3M™ Roloc™ TR Disc Pads	45101	7100003161	25	1/4-20 INT	Medium	30,000	5	 Scotch-Brite™ Roloc™ TR Discs
	45095	7000045282	50		Medium	25,000		
	45096	7000000441	50		Hard			
	45092	7000000602	76		Medium	18,000		
	45091	7100002305	76		Hard	20,000		



Scotch-Brite™ Precision and Precision Heavy Duty Surface Conditioning Discs

Product	Model	3M ID	Tool diam. (mm)	Motor (watts)	Air inlet (inches)	Airflow rate l/m (SCFM)	Max. RPM	Weight (kg)	Noise pressure level (dBA)
3M™ Disc Sander	25125	7100142459	76	745	3/8 NPT	1,048 (37)	15,000	1.38	84.4
	25124	7100083278	50	373		736 (26)	20,000	.76	90.2
	28344	7100083511	50	373		736 (26)	12,000	.76	88.2
	28342	7100083997	50	246		481 (17)	20,000	.65	82.4
	64874	7000060284	76	336		623 (22)	15,000	.81	72
	64875	7000060285	50	336			15,000	.81	76
3M™ Electric Angle Grinder	14144	7100281321	115	1900	n/a	n/a	11,500	2.4	91

SCOTCH-BRITE™ PRECISION HEAVY DUTY SURFACE CONDITIONING DISCS



Tech tip

Try hook and loop discs with our new **Scotch-Brite™ Universal Surface Conditioning Back-up Pad**. Designed to optimise the performance of nonwoven abrasive discs. It comes packaged with everything you need for quick and easy tool attachment, including three attachment nuts and an optional snap-in centre post. Low-profile design fits within most grinder guards.



Learn more at
3M.co.uk/ScotchBriteAbrasives



Watch introduction and demo
videos at YouTube.com/3MAbrasives



SCOTCH-BRITE™ PRECISION AND PRECISION HEAVY DUTY SURFACE CONDITIONING DISCS

Product selection and use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. As a result, customer is solely responsible for evaluating the product and determining whether it is appropriate and suitable for customer's application, including conducting a workplace hazard assessment and reviewing all applicable regulations and standards (e.g., OSHA, ANSI, etc.). Failure to properly evaluate, select, and use a 3M product and appropriate safety products, or to meet all applicable safety regulations, may result in injury, sickness, death, and/or harm to property.

Warranty, limited remedy and disclaimer: Unless a different warranty is specifically stated on the applicable 3M product packaging or product literature (in which case such warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

Limitation of liability: Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.



3M United Kingdom PLC
3M Centre
Cain Road, Bracknell
RG12 8HT
+44 8705 360036
abrasives.uk@mmm.com
3M.co.uk/abrasives

3M Ireland Limited
The Iveagh Building
Carrickmines Park
Carrickmines
Dublin 18
1 800 320 500

3M, Hookit, Roloc and Scotch-Brite are trademarks of 3M Company.
© 3M 2025. All rights reserved. Issued: 12/24. OMG1486066

3M Abrasive products are for industrial use only.